



Mineral water & softdrinks



Filters for the process industry



Masterfilter



Masterfilter was created in 2010. Competence in processes and utilization are the strenghts of Masterfilter.

We bring solutions for all kind of critical applications.

Masterfilter is a filtration company that focuses on high end solutions in PES & PTFE membrane filters and various pleated filter cartridges. Masterfilter provides professional technical and scientific assistance to filtration, separation and purification solutions. Our goal is to deliver innovative quality products on time with a high cost saving potential.

The philosophy of Masterfilter

Experience Market and customer oriented Flexible Team spirit High qualified engineers Stable and independent Very competitive Find best fitting solution





Mineral water & softdrinks





- Ideal for chlorine reduction
- Excellent absorbency
- No release of active carbon
- Available in 2 grades
- FDA approved

Applications

- De-chlorination of process water and drinking water
 De-chlorination of drinking
- water De-chlorination of rinsing
- water
- De-colourisation



- Three layer construction
- Thermal bonding without binders and adhesives
- High dirt holding capacity and long service life
- Removal rating (µm) : 1,0 – 150 µm
- . 1,0 150 pin

Applications

- Pre-filtration for water
- Pre-filtration for RO plants
- Beverage filtration

Multi-layer pleated polypropylene cartridge

Melt blown depth filter

MBK



 High surface area
 High flow rate / smaller filter systems
 Coreless construction to minimize waste disposal
 Inside to outside flow configuration
 Absolute rated filter medium
 Available in 20"-40"-60" lenghts

Applications

 Water treatment
 Process water
 DI water

Nano-fiber polypropylene pleated filter cartridge



- High flow rate
- High dirt capacity
- Back washable, extend service life
- Micron rating (μm) : 0,3 20 μm
- Absolute micron rating (μm) : 1,5 – 10 μm

Applications

- Water clarification
- Pre filtration for RO plants



- Multi layers melt-blown polypropylene
- High dirt capacity
- 100 % polypropylene
- Absolute micron rating (μm) : 0,3 – 10 μm
- Retention of particles
- Reduction of bioburden from liquids

Applications

Pre-filtration for water and gases

Hydrophilic polyethersulfone membrane



- Easy wetting
- Low adsorption
- Repeatedly integrity testable
- Micron rating (μm) : 0,1 1,2 μm

Applications

- Bottled water
- Sterile water filtration
- Juices

High flow filter cartridge

HCF



Sterile PTFE membrane gas filter

SLF-T



- Permanently hydrophobic PTFE membrane
- Suitable for all integrity test procedures
- Pleated surface for high flow rate and long life
- Removal rating (µm) : 0,2 µm

Applications

- Sterile filtration of air and CO₂
- Sterile tank venting
- Process gas filtration



Steam sterilisable

Glass micro fibre cartridges

SLF-G

- High dirt holding capacity
- Pleated surface for high flow
- and low pressure drop Removal rating (µm)
- : 0,01, 0,3, 0,5 µm

Applications

- Sterile filtration of air and CO₂
- Sterile tank venting
- Process gas filtration
- Membrane pre-filter

Optivent SLV membrane vent filter



- Hydrophobic PTFE membrane
- Suitable for all integrity test procedures
- Pleated surface for
- high flow rate and long life
- Removal rating (µm) : 0,2 µm

Applications

- Sterile venting of transport containers
- Sterile tank venting
- Sterile gas filtration

Housing range for liquids and gases





- Manufactured in accordance with European regulations
- Supplied with a wide range
- of connections Mechanically / electro polishing
- Surface finish Ra < $0.8 \,\mu m$
- Sanitary / industrial

Applications

- Liquid filtration
- Gas filtration
- Vent filtration



- Available in 316 stainless steel Cleanable and re-usable Welded construction
- High temperature and
- corrosive resistant
- Removal rating (μm) : 1 100 μm

Applications

Stainless steel sintered filter cartridges

SDF

- Steam filtration (culinary)
- Aggressive chemicals and gases
- Viscous fluidsCorrosive fluids

Filter integritiy tester



- Integrity testing for all membrane filters
- Single and multiple test
- Liquid and gas filter
- Compact design

Applications

- Bubble point test
- Pressure decay test
- WIT (optional)

Masterfilter

Belgium

Masterfilter Belgium

Groddeweg 14 /A B-3010 KESSEL-LO Belgium

info@masterfilter.be www.masterfilter.eu Tel: +32 13 67 09 04 Fax: +32 13 67 09 01

The Netherlands

Masterfilter Nederland

W.J. van der Hooftstraat 18 4194 WD Meteren The Netherlands

info@masterfilter.nl www.masterfilter.nl Tel: +31 345 50 83 96

Germany, Austria & Switzerland

Masterfilter GmbH Kapellenstrasse 9 85622 Feldkirchen Germany

info@masterfilter.com www.masterfilter.com Tel: +49 (0)89 2885 8787

Your local distributor

